
C.A.T No.E1

WONDER-GUN.



OSAWA & COMPANY

Wonder-Gun is ...

a new type of air gun that uses compressed air to blow off, suction, and to transfer materials, and is used widely in many industries.

The products marked \bigcirc adopt the special jet system, which is a way of bringing out the full power of the compressed air. It works by injecting a large quantity of secondary air in angle to the main air jet and this causes the main air jet to spiral powerfully.

There are no worries that materials get clogged inside of Wonder-gun since it doesn't have any interior restrictions.

☆ Wonder-Gun Hand Held Model W107 W307

Three in One (Blow off, Suction, Transferring)!!



For Suction

Vacu	ıum						
mAq	MPa				-01		
3	- 0.03			_	W301		
2	- 0.02	_					
1	- 0.01		_		W101		
0	0						
	0	.4 (0.5	0.6).7).8 M	Pa
		4	5	6	7	8 kg/	cm ²

W101 W301

For Suction

7 8 kg/cm²

- Air Consumption

Capacity

	Model	Specifications						
	Model	Length	Minimum ID	Nozzle Orifice	Weight			
	W101	144	φ22	φ1.4×6holes	310g			
	W301	142	φ11	φ1.4×3holes	260g			

We offer Powerful version for this model.

Suction Nozzle Action Drawing 1 Blow-off Drawing 2 Suction

For Blow-off


Place the suction nozzle as in the left drawing 1. Then start operation. A large amount of air goes into the gun from side (B) together with the compressed air, and a strong air flow is blasted in spirals from the holes on the nozzle.


For Suction


W101 B set

Place the suction nozzle as in the left drawing 2. Then start operation. A large amount of air goes into the gun from side (A) together with the compressed air, and a strong air flow is blasted in spirals from the holes on the nozzle. In this operation, Wonder-gun can be used as a cleaner.

W101 A set









⇔ Wonder-Gun Jumbo Model


J-38 J-50

Simple Structure!! Mounting Type!!

Recommended Compressors J-38: 10-15 Horse Power or more J-50: 20-25 Horse Power or more J-75: More than 35 Horse Power Suction








(mm)

Model	А	В	С	D	Е	F	G	Н	Nozzle Orifice	Weight	Ball Valve	Air Connection	Mounting Holes
J-38	190	80	60	50	50	38	50	75	ϕ 1.6×12holes	1.8kg	3/8	1/2	M8×6
J-50	219	90	66	63	63	50	63	90	ϕ 2.3×12holes	2.5kg	3/8	1/2	M8×6
J-75	270	120	76	74	90	75	90	115	φ2.3×24holes	4.0kg	1/2	3/4	M8×6

Because of small lot of production, Jumbo model becomes out of stock; Please confirm the delivery before you order. We offer hoses and dust bag specially for Jumbo model.

We offer powerful versions of Jumbo model.



Compressed Air

Blow-off












☆ Wonder-Gun Mini Model

Compact!! Mounting Model !!


Air volume is controled with the rear knurled nut.




We offer powerful versions; W501-SG(ϕ 1.2×6holes), W501-LG(ϕ 1.3mm×6holes) Total air blast and thrust increase 70% and suction force increases 50%.

For Suction B set







YW501-SG Wonder-Gun YW501 Model YW501-LG



YW501 series are equipped with hand-grips. Please make sure to specify either suction or blow-off.

Air volume of YW501 series cannot be controled with the rear knurled nut. Please control with regulator.

Please confirm delivery schedule since YW501 type are custom-ordered products.









☆ Wonder-Gun Wide-Catch Model W101-YZ


Draws in and Blow off At the Same Time. How Clever!



Unit contains:	
• W101-YZ Gun 1	
• \$\phi\$ 32 Duct Hose(2m) 1	
• Dust Bag — 1	
• Hose Clamps — 2	

Features:

Air Blow Nozzle blows off materials and a Wide-mouth suction pipe never fails to catch them.



Plenty of Uses...

- Cleaning inside of wide-mouth bottles!
- Cleaning food containers!
- Removing chips from holes!

Don't seal completely!! Requires outside air intake to work effectively.

- *Wonder-Gun Wide Catch model is provided as the unit below. Please order "W101-YZ Gun only" when you require only the gun.
- *Wonder-Gun Wide Catch can be used with Dust Collector PC-1 or W1-20.

Unit Contains



☆ Wonder-Gun Wide-Catch Mounting model W101-YZ -TH -TC -LC -LH





A set



B set

W1-7 W1-6(\$22 × 2000mm) W1-7 W1-2

W1-8 (\$22 × 2000mm) W1-7 W1-2


Dust Bag (\$370 × 200mm)


Wide-Catch Mounting model of is not a set; if you need a set, please order W101-YZ-LH-A or W101-YZ-LH-B.

■These products are for special order.Please allow additional time for order assembly and delivery.

☆ Wonder-Gun Hole Cleaning Mod₩101-

☆ Wonder-Gun Hole Cleaning ModeB01-






Put Air Blow Nozzle(B) into a hole and then press Air Valve. Air comes out from the nozzle, and blow dust off. The dust is cleaned by the Transparent pipe.

Specifications Model Suction Nozzle | Nozzle Orifice | Air Pressure Length Weight ID(A) Air Blow Nozzle S W101-435g φ 1.4 × 6holes W301-350g φ 1.4×3holes 0.4MPa 4kg/cm² or mo φ20 φ4 φ11






Wonder-gun Hole Cleaning Model is provided as the unit below.Please order "W101/301- Gun only" when you require only the gun.

Unit contains:	
• W101/301- Gun ———	1
Duct Hose(2m)	1
Dust Bag————	1
Hose Clamps	2

Don't seal completely!! Requires outside air intake to work effectively.

> Cleans dust or chips in holes efficiently!! Demonstrates great power in tapping!!

Unit Contains










A set



B set



These products are for special order. Special orders may require more time to prepare and ship to the customer.

Wonder-gun Hole Cleaning Mounting model is not a set; if you need a set, please order W101- -TH-A or W101- -TH-B.

⇔ Wonder-Gun Pencil Model W701

Compressed Air Suction Valve: slide it to start operation. Feature

1.Compact and fits in your hand.

- 2.Can be used with low-pressure compressed air(0.15 ~ 0.5MPa(1.5 ~ 5.0kg/cm²)), thus safe and doesn't need much compressed air.
- 3. Suction pipe can be easily replaced for other uses.
- 4. There are no worries that materials will get clogged inside of Wonder-Gun due to a smooth walled interior constructure.






Specification						
Length	ID	OD	Weight			
140	φ2.8	φ ₂₀	60g			

Small Size!!

Use as tweezers or for Cleaning in corners!!



Unit contains: •W701 Wonder-gun	1
 6×4 Air Tube 1.4m (Equipped with 1/4" hose joint) 8×5 Tube for dust bag 0.4m 	1 1
Nozzle Dust bag	1

Air Foot Valve



				(mm)
Length	Width	Height	Weight	Hose Joint
170	82	58	480g	1/4"

For Easy Pedal Operation !!

- 1 Strong Enough for Daily Use. This product is made of aluminum die casting.
- Easy Operation. Use both hands free; Can be used with foot.

(mm)

3 Simple Construction. Air passes through smoothly so there are no breakdowns.

Air Foor Valve can be connected to W101/301 SS type, W501 series, W701, and other air tools as well.

Wonder-Gun Air Blast Model W301-ES

Powerful Injection!!

Easily remove rust, scale and paint from parts and small equipment, leaving a satin finish ready for paint or further preparation. Air blast type sprays most abrasives including glass beads, aluminum oxide, steel grit, or liquids like oil. Draws abrasives straight from bucket or bag.

SK Jet Nozzle Air Adjustment Knob

This can be remodeled to mounting type. Please refer to SS model on page (2)

Compressed Air

Suction Hose

Suction Pine

■ W301-ES-22	Weight	406g S	SK Jet Nozzle ID Ø 6		
Air Pressure	Discharge	Vacuum			
MPa (kg/cm ₂)	Sand	Water	mAq(mm Hg) MPa		
0.4 (4)	800g	900cc	5.77(412) - 0.0577		
0.5 (5)	850g	920cc	6.75(482) - 0.0675		
0.6 (6)	850g	920cc	6.95(496) - 0.0695		
07 (7)	850a	920cc	6.95(496.) - 0.0695		

W301-ES-26 Weight 440g SK Jet Nozzle ID ϕ 8 Discharge per minute Air Pressure Sand Water MPa mAq(mmHg) MPa (kg/cm²) 1800g 6.10(436) - 0.0610 1820cc 0.4 (4)0.5 (5) 1800g 2000cc 6.25(446) - 0.0625 0.6 (6) 2000g 1710cc 6.10(436) - 0.0610 2000g 0.7 (7)1500cc 5.80(416) - 0.0580

> We offer a powerful version of air blast gun (W301-ES-28 with Jet Nozzle ID ϕ 10). Please contact us for detail.

800 700 600 500 400 300

Unit contains: • W301-ES Air Blast Gun Suction Hose(2m) Suction Pipe(Iron)

☆ Wonder-Gun Dust Collector W1-20 W1-20SET W3-20 W3-20SET



W1-20
Dust Collector (Weight: 6.7kg)



W3-20
Dust Collector



W1-20SET

Dust Collector Set



W3-20SET
Dust Collector Set
(Weight:7.4kg)

Easy to Use!! For a Wide Range of Application!

W1-20 set and W3-20set series can be combined with 20 ℓ tank. You can collect the materials which have been vacuumed by Wonder-Gun.

W1-20 can be combined with Wonder-Gun W101 series SS model, Wide-Catch model, and Hole Cleaning model.

W3-20 can be combined with Wonder-Gun W301 series SS model, and Hole Cleaning model.

We offer replacement filters.

Wonder-Gun Dust Collector series don't fit to handle liquid or powder. Please use Silent Cleaner or Mini Porter Cyclone for liquid and fine powder.

Unit Contains:

Model	Wonder-Gun	Suction Pipe	Hose(Oil Registance)	Hose Clasps	Dust collector	Air coupler
W1-20 Set	W1011PC	φ 20 × 200mm 1PC	φ 32 × 2000mm 1PC	2PCS	W1-20 (φ 300) 1PC	1/4" 1PC
W3-20 Set	W3011PC	φ 12 x 150mm 1PC	φ 25 × 2000mm 1PC	2PCS	W3-20 (φ 300) 1PC	1/4" 1PC

The above products don't include any tanks.

Please refer to page (1) for performance chart.

Wonder-Gun Dust Filter PC-1 PCS-1 Dust Collector Super PC-3 PCS-3



PC-1
Dust Filter
(Weight: 6.5kg)



PC-3
Dust Filter
(Weight:6.5kg)



PCS-1
Dust Collector Super
(Weight:7.7kg)



PCS-3
Dust Collector Super
(Weight: 7.4kg)

Easy to Move!! For a Wide Range of Application!

Equipped with a 20ℓ tank and aluminum stand with casters. Easy to move.

PCS-1 can be combined with Wonder-Gun W101 series SS model, Wide-Catch model, and Hole Cleaning model.

PCS-1 can be combined with Wonder-Gun W301 series SS model, and Hole Cleaning model.

We offer replacement filters.

Wonder-Gun Dust Collector series can't handle liquids or powders. Please use Silent Cleaner or Mini Porter Cyclone for liquids and fine powders.

Unit Contains:


Model	Wonder-Gun	Suction Pipe	Hose(Oil Registance)	Hose Clasps	Dust Collector	Air coupler
PCS-1	W101 1PC	φ20×400mm 1PC	φ32×2000mm 1PC	2PCS	PC-1	1/4" 1PC
PCS-3	W301 1PC	φ12×300mm 1PC	φ25×2000mm 1PC	2PCS	PC-3	1/4" 1PC

Please refer to page(1) for performance chart.

POWERFUL & SILENT

Silent Cleaner can handle water, oil, sludge, gravel, grain, metal chips and many more materials than other existing vacuum cleaners.

Built-in Silencer!! Removable!! Multiple Filters!!



Air Suction Volume

MPa

0.7

0.6

0.5

0.4 0.5

Jet Ejector Safety Valve Jet Ejector, the heart of the Silent Cleaner, Safety valve prevents sudden increase of vacuum is the device that creates strong suction. and breakage of tank, which is caused by air pressure There are no rotating parts so no breakdowns. rise or hose obstruction. Inner Filter Silencer The silencer keeps exhaust sound low Inside of Silencer, is glass-wool-made filter. - 60dB with SC30-32S. This filter prevents dust from going outside. Please order "fine dust filter" for fine dust. Powerful Models Silent Cleaner All Model can be custom ordered as Powerful models. SC30-32S Please put "G" at the end of model when you order. EX: SC30-32SG, SC60-38SG Silencer(Silent Filter) **Hose Connection** Clasp 4 Silent Cleaner Body 30ℓ Tank(SUS304) Oil Resistant Hose Suction Pipe(PVC) SILENT-GLEANER OD: Φ32 Length:600mm Conductive wheels: one of four is equipped with a brake. TYPE SC30-325 Weight:11kg Height:950mm Width:450mm Exhaust Sound 0.5MPa (5kg/cm² per hour) SC30-32S 60dB ☆ SC20-32 Performance Chart(SC30-32S, SC20-32, SC20-32P) Air Suction Volume and Air Consumption Wind Speed in Suction Pipe Vacuum mAq MPa 2.5 m³/min Normal 60 5 - 0.05

20 ℓ Iron tank MPa 7 kg/cm² Weight:10kg Height:830mm Width :450mm

Jet Ejector

Safety Valve

ID: \$\phi\$ 32 Length:2m

0.5

0.7

2 -0.02

- 0.01

MPa


This data was collected when air valve was on full bore.

"Easy to Use ... Put it on a Tank !!!

★We offer a powerful version for each model. Please put "G" on each number, such as SC20-32PG.



• Please put SC20-32P on a 20 ℓ Tank. For performance, please refer to performance chart on page (9).



- Please put SC200-32D or SC200-38D on a 200 ℓ open drum.
 For performance, please refer to performance chart on page (8).
- We offer powerful versions of Silent Cleaner; ex: SC20-32PG, SC200-32DG.
- We offer Silent Cleaner for fine dust.

 SC60-38SW/F
 SC60-32SW/F
 SC30-32SW/F
 SC200-32DW/F

 SC20-32W/F
 SC20-32PW/F
 SC60-50SW/F
 SC200-38DW/F

- We recommend attaching Mini Porter Cyclone for a large amount of fine dust or powder.
- We offer Conductive Hose or Antistatic Hose.



Please use Fine Filter for fine powder.



Hydro Stopper stops suction automatically when Silent Cleaner ingests certain amount of liquid.







More POWERFUL than other models of Silent Cleaner!!!

Powerful!! and SILENT!!

Cleans water, oil, sludge, grains, gravels and metal chips that other existing vacuum cleaners cannot. Recommended for any work place!

Twin Tower

★Built-in Silencer!

★Two-Tier System • Multiple Filters!


★USE For peration!

hours of operation!

MPa

0.7

⟨This data was collected when air valve was on full bore.⟩



(11)

0.7

Vacuum Thick Materials


Powered by Compressor!!


No Rotating Parts -Breakdowns Caused by Wear and Tear Are Minimized !!

such as Mayonaise and Grease **EASILY!!**

- For high viscosity fluid

Grease Model





MINI-PORTER-CYCLONE

For Fine Powder and Dust ★No Filters!!

Mini Porter Cyclone

MP-38CF12 (PAT.)




Mini Porter Cyclone ☆ Silent Cleaner

MP-19 SC3T-19



Can be Connected to
ANY Vacuum cleaner!!
Easy to Move!!

Centrifugal Action of Mini Porter Cyclone



TROUBLES IN HANDLING FINE POWDER??

Mini Porter Cyclone separates powder and air by centrifugal force and sheer dead weight with no filters. Eventually, the powder is dropped into a tank and accumulats while the air flows into the suction machine. When handling flour, for example, the efficiency is almost 100%. This function reduces maintenance and helps to save expense and time.

LIGHT AND COMPACT!!
Great for Cleaning
Office Automation Equipment Dust, Toner and stuff.

MP-19: The smallest in the Mini Porter series. SC3T-19: The smallest in the Silent Cleaner series Please refer to page (9) for the Silent Cleaner series. Please contact us for further details.

MINI-PORTER-CYCLONE

Built-in Jet Ejector!!

MP-38WA series are designed specially to handle fine powder.

No Filters


are used to process fine dust or powder.

No Rotating parts -

Breakdowns caused by wear and tear are minimized.

(Same construction as Silent Cleaner)

☆ Mini Porter Cyclone with Ejector MP-38WACF12



☆ Combination Model



Combination Model (ex: MP-38SCF12&SC30-32SW/F) Easy to Move!! Great for Fine Powder!!

Air Suction Volume and Air Consumption Wind Speed in Suction Pipe MAQ MPa 5 - 0.05 Air Suction Volume 2.5 Air Suction Volume 30 Air Suction Volume 4 - 0.04 0.4 0.5 0.6 0.7 MPa 0.4 0.5 0.6 0.7 MPa 4 5 6 7 kg/cm² 4 5 6 7 kg/cm²

This data was collected when air valve was on full bore.

Mini Porter Cyclone series

MP-38CF12 - Plate Thickness 1.2mm Hose ID ϕ 38 MP-38CF20 - Plate Thickness 2.0mm Hose ID ϕ 38 MP-50CF12 - Plate Thickness 1.2mm Hose ID ϕ 50 MP-50CF20 - Plate Thickness 2.0mm Hose ID ϕ 50 MP-38WACF12 - Plate Thickness 1.2mm Hose ID ϕ 38 MP-38WACF20 - Plate Thickness 2.0mm Hose ID ϕ 38 MP-50WACF12 - Plate Thickness 1.2mm Hose ID ϕ 50 MP-50WACF20 - Plate Thickness 2.0mm Hose ID ϕ 50 MP-50WACF20 - Plate Thickness 2.0mm Hose ID ϕ 50